ELSEVIER

Fluid Phase Equilibria 109 (1995) 303–304

FLUID PHASE EQUILIBRIA

Contents of Volume 109 (1995)

Vol. 109, No. 1

Theoretical papers

A combinatorial activity coefficient model for symmetric and asymmetric mixtures
E.C. Voutsas, N.S. Kalospiros and D.P. Tassios (Athens, Greece) 1–15

Methods to predict the critical constants of organic compounds
A. Vetere (San Donato Milanese, Italy) 17–27

Experimental papers

Solubility of gases in butanols. I. Solubilities of nonpolar gases in 1-butanol from 263.15 to 303.15 K at 101.33 kPa partial pressure of gas
J. Pardo, M.C. López, J. Santafé, F.M. Royo and J.S. Urieta (Zaragoza, Spain) 29–37

Ultrasonic velocities, relative permittivities and refractive indices for binary liquid mixtures of trichloroethene with pyridine and quinoline
J. Nath (Gorakhpur, India) 39–51

Isothermal vapour–liquid equilibria and excess volumes in the methanol–aliphatic ether systems
J. Fárková, J. Linek and I. Wichterle (Prague, Czech Republic) 53–65

DISQUAC predictions on excess enthalpies of the ternary mixture: cyclohexane + propanone + tetrahydrofuran
B. Marongiu, C. Delitala, B. Pittau and S. Porcedda (Cagliari, Italy) 67–81

Isothermal vapor–liquid equilibria for mixtures of ethanol, acetone, and diisopropyl ether
M.-J. Lee and C.-H. Hu (Taipei, Taiwan) 83–98

Phase equilibria in binary mixtures of propane and triphenylmethane
C.J. Peters, J.L. De Roo and J. De Swaan Arons (Delft, Netherlands) 99–111

Phase equilibria of phenol + tetrahydrofuran + water system and its thermodynamic description
K. Řehák, J. Matouš and J.P. Novák (Prague, Czech Republic) 113–129

Solubility of β-carotene and oleic acid in dense CO_2 and data correlation by a density based model
M. Škerget, Ž. Knez and M. Habulin (Maribor, Slovenia) 131–138

Activity coefficients in quaternary electrolytic systems: NaCl + NaFormate + NaAcetate + H_2O, NaCl + NaFormate + NaPropionate + H_2O and NaBr + NaFormate + NaAcetate + H_2O
F. Hernández-Luis, L. Fernández-Mérida, H. Galleguillos, M.A. Esteso (Tenerife, España), K.S. Ooi, S.K. Khoo and T.K. Lim (Kuala Lumpur, Malaysia) 139–156

Vol. 109, No. 2

Theoretical papers

On the meaning of the spinodal in liquid crystalline solutions
J.R. Dorgan (Golden, CO, USA). 157–169

Prediction of one-component vapour–liquid equilibria from the triple point to the critical point using a simplified perturbed hard-chain theory equation of state
Đ. Plačkov, D.E. Mainwaring and R.J. Sadus (Hawthorn, Vic., Australia). 171–182

Generalised van der Waals theory of fluids. Vapour–liquid equilibria in simple binary mixtures
R. Penfold, J. Satherley and S. Nordholm (Liverpool, Göteborg, UK, Sweden) 183–204

0378-3812/95/$09.50 © 1995 – Elsevier Science B.V. All rights reserved

Study on the binary mixtures of alkyls alfa,omega-dihalogenated (chlorine, bromine, iodine) with n-alkanes. An improvement by considering the variation of the interaction parameter with the chain length
J. Ortega and J. Plácido (Las Palmas, Spain) 205–225

Experimental papers
Partial molar volumes of air-component gases in several liquid n-alkanes and 1-alkanols at 313.15 K
P. Izák, I. Cibulka and A. Heintz (Heidelberg, Germany) 227–234
Azeotropy and critical behavior in the system propane–hydrogen sulfide
F.-Y. Jou, J.J. Carroll and A.E. Mather (Edmonton, Alb., Canada) 235–244
The association of normal and tertiary butylamine in mixtures with n-hexane according to isothermal vapour pressure measurements
H. Wolff, H. Landeck, H.-P. Frerichs and E. Wolff (Heidelberg, Germany) 245–263
A constant volume apparatus for vapour pressure and gas phase P–v–T measurements: validation with data for R22 and R134a
G. Giuliani, S. Kumar and F. Polonara (Ancona, Italy) 265–279
The solubility of CO_2, N_2 and H_2 in a mixture of dimethylether polyethylene glycols at high pressures
I. Gainar and G. Anitescu (Bucharest, Romania) 281–289
LLE data for the systems water + (methanol or ethanol) + n-amyl acetate
A. Arce, A. Blanco, J. Martínez-Ageitos and I. Vidal (Santiago, Spain) 291–297

Subject Index 299–300

Author Index 301